PILE NOTATIONS Entered in NID File Checked by Chief Entered On S R Sheet Copy NID to Field Office Location Map Maned Approval Letter Card Indexed Disapproval Latter LW R for State or Fee Land COMPLETION DATA: Date Well Completed 10-15-60 Location Inspected OW TA Bond released GW OS PA A State of Fee Land LOGS FILED Driller's Log /1-25-66 Electric Logs (No.) ... 5 E SI GR Lat...... Mi-L..... Sonic...... Barehole Compensated Hermation Density Kog Neturon Roa Sonic hoo

Sub. report of almamnt: 8-11-77

Form 9-381 C (May 1963)

Oilhas Cons. Con_ SUBMIT IN TR er instructie reverse side)

Form approved. Budget Bureau No. 42-R1425.

UNITED-STATES-	(Otne
DEPARTMENT-OF-THE-INTERIOR-	

	DEPARTMENT	ſ-OF-THE- H	NTE	NOR −		ĺ	5. LI	ARE D	esign <i>a</i>	THON A	MD SERIA	L No.
			Á.	C. C.	i i							
APPLICATION	V FOR PERMIT	TO DRILL, D	DEEP	EN, OR PLUG B	BAC	(6. II	INDIA	N, ALL	OTTEE	OR TRIBE	NAME
1a. TYPE OF WORK		DEEPEN [PLUG BAG			7. U	NIT AG	REEME	NT NA	ME	<u> </u>
	AS OTHER			INGLE MULTIP	LE C		8. F	RM OI	R DEAS	B:NAM		
2. NAME OF OPERATOR									Table .	ish	1,44	
H. P. McLish,	W.K. Arbuckle,	Ken Luff					9. W	ALL N	0.	Ž.		
3. ADDRESS OF OPERATOR							10. 1		1 PO	QL, OR	WILDCAT	r
4. LOCATION OF WELL (R	lia Denver, Col	in accordance wit	h any s	state requirements.*)			- 1	Vild	cat	Des	ulop	ment
At surface SENE SE	190	O'FSLG	5	05'FEL			11. 4	ŃG., T.	, В., м	OR BI	Lik.	we
At proposed prod. zon	e same						Sec	3	6 T	6 8	S R 21	E
14. DISTANCE IN MILES	AND DIRECTION FROM NEA	REST TOWN OR POST	r offic	n*		188	- 5	ountr i t ah	: 7	RISH	135 STAT	_
15. DISTANCE FROM PROPLOCATION TO NEAREST PROPERTY OR LEASE I (Also to nearest dri	T LINE, FT.	660	16. No	0. OF ACRES IN LEASE			jung .	S ASS	- 77		ACT THE TOTAL TOTA	
18. DISTANCE FROM PROF TO NEAREST WELL, D OR APPLIED FOR, ON TH	POSED LOCATION* RILLING, COMPLETED,			O-Uintah	20.	O. ROTARY DRICABLE TOOLS						
21. ELEVATIONS (Show wh	ether DF, RT, GR, etc.)					સ સ પ્	22.	APPR	DX, DAT	NOB	K WILL 8	TART*
	Plate fo	ollows						i j		. •		
23.]	PROPOSED CASIN	IG AN	CEMENTING PROGRA	AM	- 4 - 4 - 6	3.79			;		
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FO	оот	SETTING DEPTH	.	1 5	<u> </u>	UANTI	TY OF (MEN		
$12\frac{1}{4}$	8 5/8	24		250	.		25	3 :	- 19			73
7 7/8	4 1	9.5		TD	.	() 1	-1	5 0 -	<u> 3 :</u>			
l Set surfa	 	hrsTest	вор	each tower to	 1200	elekiyo D	r ‡ 1:		7/8") 16 18	2018 year	50 100 100 100 100 100 100 100 100 100 1
hole to T						e r r r Aes Sistantion (18)	ioni gire					
2. Maintain	10.5# mud below	v 2500° to o	conti	rol pressure.		\$ \$		- 12			1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	
3. Run $4\frac{1}{2}$ 0	easing or P&A in	accordance	e wi	th commission r	u l i r	ıg.∄	*	 3	<u>ئ</u> خ		Sg.	

4. Bond form follows from H. P. McLish.

APT 43-147 20 100


4. Bond form follows from H. P. McLish.

APT 43-147-123

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive sone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any. preventer program, if any.

SIGNED CON CONCLUMBLE	ritleAgent	្តី ដូច្នេះ មិន្តិសុខ្មែន មិន មិន មិន មិន មិន មិន មិន មិន មិន មិ
(This space for Federal or State office use)		##
PERMIT NO.	APPROVAL DATE	
APPROVED BY	TITLE	

T. 6 S., R. 21 E., SLB&M



PROJECT

ARBUCKLE - McLISH- LUFF

WELL LOCATION STATE- McLISH #1 LOCATED AS SHOWN IN THE NE 1/4-SE 1/4, SEC. 36, T6S, R2IE, SLB&M, UINTAH COUNTY, UTAH.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE SEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED LAND SURVEYOR REGISTRATION Nº 2454 UTAH

X = Corners Located (Brass Cap)

Uintah Engineering & Land Surveying

BOX Q

VERNAL, UTAH

SCALE " = 1000'	DATE 7 Sept. 1966		
PARTY L.C. Kay — B.K. Cook	REFERENCES GLO Township Plat		
WEATHER Clear - Warm	FILE Arbuckle - McLish - Luff		

STATE OF UTAH DEPARTMENTAL MEMORANDUM

DATE:

From DEPARTMENT

NOBIVIO

TS PULARUMAN

W.Caleryica

IJ.Ŀ.

TO MERCE

September 14, 1966

H. P. McLish, W. K. Arbuckle, Ken Luff 3880 South Dahlia Denver, Colorado

> Re: Well No. State-McLish #1, Sec. 36, T. 6 S., R. 21 E., Uintah County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above mentioned well is hereby granted in accordance with the conversation between Mr. Walter Arbuckle and Mr. Paul W. Burchell, September 12, 1966. However, this approval is conditional upon a bond being filed with the Utah State Land Board.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to <u>immediately</u> notify the following:

PAUL W. BURCHELL, Chief Petroleum Engineer HOME: 277-2890 - Salt Lake City, Utah OFFICE: 328-5771 - 328-5772 - 328-5773

This approval terminates within 90 days if the well has not been spudded-in within said period. Enclosed please find Form OGCC-8-X, which is to be completed whether or not water sands (aquifers) are encountered while drilling. Your cooperation with respect to completing this form will be greatly appreciated.

The API number assigned to this well is 43-047-20135 (see Bulletin D12 published by the American Petroleum Institute).

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT EXECUTIVE DIRECTOR

CBF:ah

cc: Max Gardner
Utah State Land Board
Salt Lake City, Utah



STATE OF UTAH OIL & GAS CONSERVATION COMMISSION 348 EAST SOUTH TEMPLE SUITE 301 SALT LAKE CITY, UTAH

REPORT OF WATER ENCOUNTERED DURING DRILLING

Operator W.	K Applickie	201		
-1	N. ARBUCKLE	Address 201	University BLVD. Phone	388-4021
Contractor Wi	LLIARD PEASE	Address GRA	ND JUNCTION, COLO Phone	
Location NE & SE	表 Sec. 36 T. 6	XIR. 21 E UIN	ITAH	County, Utah.
Water Sands:		, , , , , , , , , , , , , , , , , , ,		
Depth	<u>1</u>	<u>Volume</u>	9	uality
From	То	Flow Rate or Hea	ad Fres	h or Salty
1. 2410	2435?	Est. 40 GPM		SALTY
2	····			
3				
4.				
5				
		(Cont	cinued on reverse side	if necessary)

Remarks:

NOTE:

- (a) Upon diminishing supply of forms, please inform the Commission.
- (b) Report on this form as provided for in Rule C-20, General Rules and Regulations and Rules of Practice and Procedure, (See back of form).
- (c) If a water analysis has been made of the above reported zone, please forward a copy along with this form.



STATE OF UTA	\$ "	ጕልገ	'n.	OF	UT	'AH	1
--------------	------	-----	-----	----	----	-----	---

SUBMIT IN DUPLICATE*

(See other in-
structions on
marrage eide)

see office In-		
ructions on	5. LEASE DESIGNATION AND	SERIAL
verse side)	U. LEASE DESIGNATION 45.0	

	OIL & GAS	CONSERVATION	COM	MISSION			1 2 2	
WELL CO	OMPLETION C	R RECOMPLET	ION R	EPORT A	ND	LOG*	6. IF INDIAN, ALI	OTTER OR TRIBE NAME
a. TYPE OF WE	LL: OIL	GAS (V)					7. UNIT AGREEME	NT NAME
- WYDW OF CO	WELL WELL	WELL E	RY	Other			_	
b. TYPE OF COI	WORK DEEP-	PLUG DIF	F.	Other	· .		S. FARM OR LEAS	E NAME
WELL NAME OF OPER	OVER LEN	BACK L RES	· · · · · · · · · · · · · · · · · · ·	Other			STATE-Mcl	_isH #i
		K. ARBUCKLE &	Ken Lu	FF			9. WELL NO.	
. ADDRESS OF OF		· · · · · · · · · · · · · · · · · · ·		·			— <i>#</i> 1	•
		, DENVER, COLO	RADO		3	4	10. FIELD AND PO	OOL, OR WILDCAT
LOCATION OF W	ELL (Report location c	learly and in accordance	e with any	y State require	ments	y•	RIVER B	
		N/S, 505 W/				:	11. SEC., T., R., M	., OR BLOCK AND SURVEY
,	•	•						, T-6-9, R-21-
At top prod. I	nterval reported below SAME					1		
At total depth	L			· · · · · · · · · · · · · · · · · · ·		·		1.10
* 1		14. PI	CRMIT NO.	Φ.	ATE I	SSUED.	12. COUNTY OR PARISH	13. STATE
rusaus sra	start i said said	na. In the north of the				<u> </u>	UINTAH	UTAH
. date spudded 9/20/66	9/27/66	17. DATE COMPL.	(Ready to	p prod.) 18.	eléva 707	G.L.,	4718 к.в.	ELEY. CASINGHEAD
. TOTAL DEPTH, M			2. IF MUL'	TIPLE COMPL.,		23. INTERVAL DRILLED I	· •	CABLE TOOLS
3283		561					0 - T.D.	05
. PRODUCING INT	ERVAL(S), OF THIS CO	MPLETION-TOP, BOTTOM	, NAME (M	ID AND TVD)*	1			25. WAS DIRECTIONAL SURVEY MADE
29021-3	034" UINTAH			2				No
				<u> </u>		<u> </u>	1 07	WAS WELL CORED
	DC - GR - SC						21.	No.
3.	· · · · · · · · · · · · · · · · · · ·	CASING REC	ORD (Rep	ort a ll strings	set in		8 2 2 2	
CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	_	LE SIZE	<u> 36</u>		NG RECORD	AMOUNT PULLED
8 5/8"	24	256	12	2 1/4"		75 SACK		_ 0
4 1/2"	9.5	3203	_	7 7/8"	-	150 SACK	<u> </u>	_
			_		22.3			_
				<u></u>			TUBING RECORD	<u> </u>
).		NER RECORD			-	30.	DEPTH SET (MD)	PACKER SET (MD)
SIZE	TOP (MD) B	OTTOM (MD) SACKS (EMENT*	SCREEN (MD	<u>''</u> -	SIZE	28551	- 120222 122
NONE	<u> </u>			<u> </u>	 -	2"	2077.	
The second secon	RECORD (Interval, size	and number)		32.	ACT	D SHOT ER	ACTURE, CEMENT SO	DIFEZE, ETC.
i		unu numoon j		DEPTH INT			AMOUNT AND KIND OF	
3034-3	59. 56.			DEFIN INI			None	
3022-2	:0 ·					<u></u>		
2953-5) (°							
2902-0)O •	•			- 17.			
3.*			PRO	DUCTION	1.1	, '		
10/15/66	CTION PRODUCT	ION METHOD (Flowing,	gas lift, p	umping—size o	and ty	pe of pump)	WELL STA shut-in	TUS (Producing or SHUT-IN
ATE OF TEST	HOURS TESTED		'N. FOR	OIL—BBL.		GAS-MCF.	WATER-BBL.	GAS-OIL BATIO
10/15/66	14	1/8 - 3/4 TEST	PERIOD	0 ,		1,150	- 1° 4 0	
LOW. TUBING PRES	S. CASING PRESSURE	04	-ввь.)	GAS-1 6,9	меж. ЭОО	WAT	O OII	GRAVITY-API (CORR.)
	F GAS (Sold, used for fu	el, vented, etc.)		. 1	•	1	TEST WITNESSED	TADLOCK
E TION ON INC.	OUMENTO							
5. LIST OF ATTA	CHMBRIS			<u></u>				
6. I hereby cert	Ify that the foregoing	and attached information	on is comp	plete and corre	ct as	determined for	rom all available reco	
signed	Con (d	hurke I	TITLE _				DATE _	11/14/66
								

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available, logs (drillers, semple and core analysis, all types electric, etc.), formation and directions surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35. Federal or Indian land should be described in accordance with Federal requirements. Consult local State Hen 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Hens 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item, 22, and in them 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 38. Submits a separate report (page) on this form, adequately identified, for additional interval and inte or Federal office for specific instructions.

SACKS SACKS

		THOSE VERT. DEFT.	9961 GZ NON
GEOLOGIC MARKERS		MEAN. DEPTH	: : : : : : : : : : : : : : : : : : :
38. GEOLOG	MAM		SOOD SOUTH DANLIN, DELIVER, COLORADO THE SE - 15001 11/8, 505 W/E SAME
			, 27°С3 ,233' 3150' 3150' ,232'-333' Uтатан
ORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLEDING AND SRUCH, PRESSURES, AND RECOVERIES	DESCRIPTION, CONTENTS, ETC.	NO DRILL STEM TESTS	53 - FDC - GR - SC 5,2 1,2 1,2 1,2 1,2
• • •		No cores,	\$\tag{\frac{1}{2}\text{\$\frac{1}\text{\$\frac{1}{2}\text{\$\frac{1}\text{\$\frac{1}{2}\text{\$\frac{1}\text{\$\frac{1}\text{\$\frac{1}\text{\$\frac{1}\text{\$\frac{1}\text{\$\frac{1}\text{\$\frac{1}\tex
OBITE AND CONTENTIABLE TIME TOOL OF	BOTTOM	*08.2	5002-201 2553-571 2502-001
STE	TOP		15/60 FLOWING
SHOW ALL IMPO DEPTH INTERVAL	FORMATION		 A the research of the control of the c

November 29, 1966

H. P. McLish, W. K. Arbuckle & Ken Luff 3800 South Dahlia Denver, Colorado

> Re: Well No. State-McLish #1, Sec. 36, T. 6 S., R. 21 E., Uintah County, Utah.

Gentlemen:

We are in receipt of your well log for the above mentioned well. However, upon checking this information, we note that you did not report the formation tops for said well.

Please submit to this office said information as soon as possible.

Thank you for your cooperation in this matter.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

SHARON CAMERON RECORDS CLERK

DATE

..

SUBJECT:

TABLETANT

MUNSEARCH

FO HEPAICENTENCE

्रम्ताशुक्राध

Johnney 2, 1967

M. P. McLish, W. K. Arbuckle & Men Luff 3800 South Dahlia Benver, Colorado

> Ra: Well No. State-McLish \$1, Sec. 36, T. 6 S., R. 21 E., and Well No. Federal Wolf \$1, Sec. 6, T. 7 S., R. 22 E., Uintah County, Utah.

Gentlemen:

It has come to the attention of this office that you wish to have all information on the above mentioned wells held confidential. However, in order for this office to held said information confidential, we must have a latter from you requesting such. If we do not hear from you by February 17, 1967, we will assume that the information can be released.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FRIGHT EXECUTIVE DIRECTOR

CH 1600

Parts

July 30, 1974

MEMO FOR FILING

Re: KENNETH D. LUFF
State (McLish) #1
Sec. 36, T. 6 S, R. 21 E,
Uintah County, Utah

On July 10, 1974, a visit was made to the above referred to well site.

Plugged and abandoned location meets with approval. Location has been satisfactorily cleaned, leveled, and identified. It is, therefore, recommended that liability under the bond for this particular well be released. A picture was taken for future reference.

PAUL W. BURCHELL CHIEF PETROLEUM ENGINEER

PWB:1p

cc: Kenneth D. Luff State Land Board

	OF OIL AND GAS CONSERVATION	(Other instructions on re- verse side)	5. LEASE DESIGNATIO	I IND BERIAL
	RY NOTICES AND REPORTS C m for proposals to drill or to deepen or plus be se "APPLICATION FOR PERMIT—" for such pr		A IF INDIAN, ALLOTT	EE OR TRIBE S
		Oposais.)	7. UNIT AGREEMENT	AMB
WELL WELL	OTHER		B. FARN OR LEASE N	
	W. K. Arbuckle & Ken Luf	f, Inc.	State-Helie	•
3800 South Da	hlis, Denver, Coloredo		1	
LOCATION OF WELL (Report See also space 17 below.) At surface	rt location clearly and in accordance with any	State requirements.*	10 FIFLD AND FOOL, RIVER BEDS	<u> </u>
ME SE, 1960'	M/8, 505' W/E		11. SEC., T., B., M., OB SUBVEY OR ARE	
			Sec. 36, 70	S. 121E
. PERMIT NO.	15. BLEVATIONS (Show whether DF	RT, GR, etc.)	12. COUNTY OR PARIS	1
			Uintah	Utah
•	Check Appropriate Box To Indicate N	ature of Notice, Report, or C	Other Data	
NOTIC	CE OF INTENTION TO:	ecsero.	ENT REPORT OF:	
TEST WATER SHUT-OFF	PULI OR ALTER CARING	WATER SHUT-OFF		WELL
FRACTURE TREAT	MUUTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING	CASING
SHOOT OR ACTUIZE	ARANDON*	SHOOTING OR ACIDIZING	ABANDONM	ENT*
REPAIR WELL	CHANGE PLANS	(Other)	adlatala aanlatta-	
(Other)		(Note: Report results Completion or Recompl		
proposed work. If well nent to this work.) * Plan to 1.	plug and abandon well as Fill hole with mud.	follows:	i depins for all marke	te of startin rs and zones
proposed work. If well nent to this work.) * Plan to 1. 2. 3. 4. 5. 6.	plug and abandon well as Fill hole with mud. Spot 30 ex cement plug a Shoot off 4-1/2" product point or approximately 2 Set 15 ex cement plug in Pull 4-1/2" casing.	follows: Geroes perfs 3100'- Geroes perfs 400'- Geroes perfs	2800'. of coment at surface cast ith properly	free

		_			
	STA	TE	OF	U	TAH
_	\TT	A BITTS			COMMENTANTON

|--|--|

	Apres .			
MD 1D1 10				

	TE OF UTAH AND GAS CONSERVATION	SUBMIT IN TRIPLICATE® (Other instructions on reverse side)	5. LEASE DESIGNATION	(AND SERIAL NO.
	CES AND REPORTS ON is to drill or to deepen or plug back		8. IF INDIAN, ALLOTTI	E OR TRIBE NAME
1. OIL GAS [Y]			7. UNIT AGREEMENT N	AMB
2. NAME OF OPERATOR H. P. McLish, W. K.	Arbuckle & Ken Luff	, Inc.	8. FARM OR LEASE NA State-McLis 8. WELL NO.	_
3800 South Dahlia,			1	
4. LOCATION OF WELL (Report location cleans space 17 below.) At surface		te requirements.*	River Bend	
NE SE, 1960' N/S, 50	5' W/E		11. SEC., T., R., M., OR SURVEY OR ARE	A
14. PERMIT NO.	15. BLEVATIONS (Show whether DF RT	, GR, etc.)	Sec. 36, T6	
16. Check App	propriate Box To Indicate Nati	ure of Notice, Report, or O	Uintah ther Data	Utan
NOTICE OF INTENTI			ENT REPORT OF:	
Plan to plug at 1. Fill h 2. Spot 3 3. Shoot point 4. Set 15 5. Pull 4 6. Set 35 (300'-7. Set 5	CLIPLE COMPLETE ANDON* ATIONS (Clearly state all pertinent daily drilled, give subsurface locations and abandon well as cole with mud. O sx cement plug according to approximately 25 sx cement plug in a cole with a cole with a cole of 4-1/2" casing. sx cement plug in a cole with a cole with mud. 180'). sx cement in top of 4-1/2" dry hole man	follows: ross perfs 3100'-2 on casing at top of 00'. and out of stub. and out of 8-5/8" surface casing wi	tion Report and Log for including estimated du depths for all markets and the second s	on Well orm.) te of starting and rs and zones perti
		OIL & GAS CO	DIVISION OF ONSERVATION	el
18. I hereby certify that the foregoing is SIGNED Hours	true and correct TITLE Pro	duction Engineer	DATE 7-	-14-75
(This space for Federal or State office	une)			
APPROVED BY	TITLE		DATE	

KENNETH LUFF, INC.

COLORADO STATE BANK BUILDING SUITE 1730

1600 BROADWAY
DENVER, COLORADO 80202

PHONE 892-0588 AREA CODE 303

July 15, 1975

Utah Oil & Gas Conservation Comm. 1588 West North Temple Salt Lake City, Utah 84116

Dear Sir:

RE: #1 State-McLish

River Bend

Sec. 36, T6S, R21E Uintah County, Utah

Enclosed please find Notice Of Intention to Abandon in triplicate on the above referenced well.

Sincerely yours,

Cheryl J. Powell

(Secretary to K. D. Luff)

Chen I g. Powell

cjp

Enclosures

KENNETH LUFF, INC.

COLORADO STATE BANK BUILDING **SUITE 1730**

1600 BROADWAY DENVER, COLORADO 80202

PHONE 892-0588 AREA CODE 303

September 8, 1975

State of Utah Division of Oil & Gas Conservation 1588 West North Temple Salt Lake City, Utah 84116

Dear Sir:

Enclosed please find a copy of a Notice of Intention To Abandon, on the #1 State-McLish, River Bend, Section 36, Township 6 South, Range 21 East, Uintah County, Utah. We have not yet received any answer or an approval. Would you please inform me if there is any problem with the approval of this application.

Thank you.

Best regards,

Robert W. Peterson Petroleum Engineer

.imc

Enclosure

TO THE CHARLES

ok Pet Spr charge at Sov face 10 Sx

16.	Check Appropriate Box To Indicate Natur	e of Notice, Report, or O	ther Data	
			Uintah	Utah
14.	PERMIT NO. 15. BLEVATIONS (Show whether DF, RT,	ar, etc.)	12. COUNTY OR PARISH	
			Sec. 36, T6	S. R21E
	NE SE 1960' N/S, 505' W/E		11. SEC., T., R., M., OR I SURVEY OR ARBA	
	At surface		River Bend	
		10. FIELD AND POOL, O	R WILDCAT	
	1730 Colorado State Bank Bldg., Denver,	Colo. 80202	1	
8.	ADDRESS OF OPERATOR		9. WELL NO.	
	Kenneth Luff, Inc.		State-McLis	h
2.	NAME OF OPERATOR		8. FARM OR LBASE NAI	(1)
	WELL GAR OTHER Dry			V
ī.			7. UNIT AGREEMENT NA	MB (
	SUNDRY NOTICES AND REPORTS ON (Do not use this form for proposals to drill or to deepen or plug back Use "APPLICATION FOR PERMIT—" for such propos		6. IF INDIAN, ALLOTTE	B OR TRIBE NAME
	OIL & GAS CONSERVATION COMMISSION	verse side)		
	STATE OF UTAH	(Other instructions on re-	5. LEASE DESIGNATION	AND BERIAL VA
O	GCC-1 be	01101476 111 60101101101	v *	

(Other)

(Note: Report results of multiple completion on Well
(Completion or Recompletion Report and Log form.)

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

WATER SHUT-OFF

(Other)

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

SUBSEQUENT REPORT OF:

REPAIRING WELL

ABANDON MENT*

AUG 12 1977

Plugged and abandoned well as follows:

ABANDON*

CHANGE PLANS

- Filled hole with 9 lb./gal. mud.
- 2. Spotted 30 sack cement plug from 3100' to 2800'.

PULL OR ALTER CASING

MULTIPLE COMPLETE

3. Shot off casing at 1969'.

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

- 4. Set 15 sack cement plug in and out of casing stub.
- 5. Pulled 4 1/2" casing.
- 6. Set 35 sack cement plug in and out of 8 5/8" surface cas√ng (300' to

7. Set properly marked 4 1/2" dry hole marker in top of 8 5/8" surface sing with 5 sacks cement.

Location has been cleaned up and is ready for final inspection.

18. I hereby certify that the foregoing is true and correct		DATE 8/11/77
(This space for Federal or State office use)		
APPROVED BY	TITLE	DATE